



Mobile Cleaning System

Units | Systems | Components

Cleaning Technology

For handling liquid substances















PHILOSOPHY

- Our customers are always the centre of what we do.
- We strive for a successful and enduring partnership.
- We offer know-how, reliability and flexibility.
- When ordinary standard proves to be insufficient, we will become your partner.
- We offer innovative solutions.
- We focus on economic and sustainable action.

EXPERTISE

- Experienced technical field crew
- Professional office representatives
- Innovative design and project planning
- Processing of orders on schedule
- Wide range of high-grade components on stock
- Assembly in company-based production shop
- Delivery
- Installation
- Maintenance/After Sales S ervice

CIP-SYSTEMS stationary

- Manual/semi-automatic/ fully automatic
- Modular
- without tank
- one-tank system
- multi-tank system
- Low pressure/intermediate pressure/high pressure
- Dosing chemicals heating
- Stainless steel/special materials
- GMP/FDA/ATEX



CIP-SYSTEMS mobile

- Manual/semi-automatic/ fully automatic
- Modular
- without tank
- one-tank system
- multi-tank system
- Low pressure/intermediate pressure/high pressure
- Dosing chemicals heating
- Stainless steel/special materials
- GMP/FDA/ATEX




KHTEC®



CLEANING SYSTEMS stationary

- Manual/semi-automatic/ fully automatic
- Parts cleaning
- Barrel cleaning
- Container cleaning
- IBC cleaning



CLEANING SYSTEMS mobile

- Manual
- Parts cleaning
- Drum cleaning
- Container cleaning
- IBC cleaning

POSITIONING SYSTEMS manual

- Manual
- Low pressure/intermediate pressure/high pressure
- Cleaning nozzles: static/rotary/orbital
- Stainless steel




ORBITAL CLEANING SYSTEMS hydro motor

- Low pressure intermediate pressure high pressure
- High cleaning performance
- Up to 30m cleaning diameter
- GMP/FDA/ATEX



ORBITAL CLEANING SYSTEMS electric motor

- Low pressure/intermediate pressure/ high pressure
- Various design sizes
- High cleaning performance
- Low water consumption
- Adjustable number of nozzles, nozzle diameter and speed
- GMP/FDA/ATEX



KHTEC®



CLEANING NOZZLES Brisa

- Low pressure/intermediate pressure
- Individual and serial jet pattern
- Free of ball bearings due to hydrodynamic bearing
- Low speed
- Stainless steel
- Special materials
- GMP/FDA/ATEX



CLEANING NOZZLES rotary

- Low pressure/intermediate pressure
- Individual and serial jet pattern
- Free of ball bearings due to hydrodynamic bearing
- Low speed
- Stainless steel
- Special materials
- GMP/FDA/ATEX



CLEANING NOZZLES static

- Low pressure
- Individual and serial jet pattern
- Stainless steel
- Special materials



100% TECHNOLOGY 100% ENGAGEMENT 200% COMPETENCE

CONSULTING

Analysis

Determination of procedures

Process optimisation

Conseptualisation

Configuration

DEVELOPMENT

Planning

Construction/Design

Dimensioning/Calculation

Specification

Program development

MANUFACTURING

CNC turning and milling

Welding

Surface progressing

Finishing

Quality assurance

ASSEMBLY

Assembly in Factory

Acceptance in Factory

Final inspection

Delivery

Assembly on site

Pipeline construction

VALIDATION

Acceptance

Documentation

Hand over

AFTER SALES

Maintenance

Customer service

Spare parts



KH TEC GmbH

KH vessel TEC GmbH KH process TEC GmbH

An der Hessel 5 | D-75038 Oberderdingen | Germany Fon +49 (0) 7045/980-0 | Fax +49 (0) 7045/980-27 | info@kh-tec.de